

Request Ref No:

6892

Requested By:

FOI

Name of Request:

FOI006

Date Request was completed:

Request completed by:

Notes:

Please Note: The content of this report may include personal identifiable or other confidential information. It is your responsibility to ensure this information is secure, and only used for its intended purpose. Before sharing information, please consider whether it is appropriate to do so. If you would like further advice about this, or if you have received this file in error, please contact the BSMHFT Information Governance team on 0121 301 1159

Summary of patients placed in seclusion during 2019

There were a total of 229 individual patients placed in seclusion between 01/01/2019 and 31/12/2019.

Break down by gender

| | |
|--------|-----|
| Female | 72 |
| Male | 157 |

Breakdown by age group

| | |
|--------------|----|
| 18 and under | 12 |
| 19 to 25 | 28 |
| 26 to 32 | 61 |
| 33 to 39 | 47 |
| 40 to 46 | 30 |
| 47 to 53 | 29 |
| 54 to 60 | 16 |
| 60 to 65 | 6 |
| Over 65 | 0 |

Was this patient's first seclusion?

| | |
|-----|-----|
| No | 127 |
| Yes | 102 |

Breakdown by ethnic group

| | |
|---|----|
| White - English/Welsh/Scottish/Northern Irish/British | 94 |
| White - Other | 2 |
| Black / Black British - African | 18 |
| Black / Black British - Caribbean | 35 |
| Black / Black British - Other | 4 |
| Mixed - White & Black African | 4 |
| Mixed - White & Black Caribbean | 21 |
| Asian / Asian British - Bangladeshi | 2 |
| Asian / Asian British - Indian | 1 |
| Asian / Asian British - Pakistani | 19 |
| Asian / Asian British - Chinese | 1 |
| Asian or Asian British - Any other background | 6 |
| Mixed - White & Asian | 4 |
| Arab | 2 |
| Any other Ethnic Group | 5 |
| Any other mixed / multiple ethnic background | 4 |
| Not Asked | 2 |
| Not Stated (Client Refused) | 5 |

Breakdown by Confirmed diagnoses during seclusion*

| | |
|--|----|
| Acute and transient psychotic disorders | 5 |
| Bipolar affective disorder | 39 |
| Conduct disorders | 1 |
| Depressive episode | 2 |
| Hyperkinetic disorders | 1 |
| Manic episode | 2 |
| Mental and behavioural disorders associated with the puerperium, not elsewhere classified | 1 |
| Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances | 6 |
| Mental and behavioural disorders due to use of alcohol | 1 |
| Mental and behavioural disorders due to use of cannabinoids | 1 |
| Mental and behavioural disorders due to use of opioids | 1 |
| Not Known | 1 |
| Obsessive-compulsive disorder | 1 |
| Persistent delusional disorders | 1 |
| Personality and behavioural disorders due to brain disease, damage and dysfunction | 1 |
| Pervasive developmental disorders | 7 |
| Reaction to severe stress, and adjustment disorders | 3 |
| Recurrent depressive disorder | 1 |
| Schizoaffective disorders | 32 |
| Schizophrenia | 72 |
| Specific personality disorders | 34 |
| No confirmed diagnosis at time of seclusion | 37 |

**Total here adds up to 250 as some patients had more than one primary diagnosis open during seclusion*

Summary of patients that started an ECT during 2019

There were a total of 59 individual patients that started an ECT between 01/01/2019 and 31/12/2019

Break down by gender

| | |
|--------|----|
| Female | 39 |
| Male | 20 |

Breakdown by age group

| | |
|--------------|----|
| 18 and under | 0 |
| 19 to 25 | 4 |
| 26 to 32 | 5 |
| 33 to 39 | 6 |
| 40 to 46 | 1 |
| 47 to 53 | 7 |
| 54 to 60 | 7 |
| 60 to 65 | 10 |
| Over 65 | 19 |

Was this patient's first ECT team referral?

| | |
|-----|----|
| No | 20 |
| Yes | 39 |

Breakdown by ethnic group

| | |
|---|----|
| White - English/Welsh/Scottish/Northern Irish/British | 35 |
| White - Irish | 2 |
| Black / Black British - African | 3 |
| Black / Black British - Caribbean | 3 |
| Mixed - White & Black African | 1 |
| Asian / Asian British - Indian | 6 |
| Asian or Asian British - Pakistani | 4 |
| Asian / Asian British - Chinese | 1 |
| Asian or Asian British - Any other background | 1 |
| Any other mixed / multiple ethnic background | 2 |
| Any other Ethnic Group | 1 |

Breakdown by Confirmed diagnoses during referral*

| | |
|--|----|
| Bipolar affective disorder | 9 |
| Dementia in other diseases classified elsewhere | 1 |
| Depressive episode | 18 |
| Mental and behavioural disorders due to use of alcohol | 1 |
| Obsessive-compulsive disorder | 1 |
| Reaction to severe stress, and adjustment disorders | 1 |
| Recurrent depressive disorder | 17 |
| Schizoaffective disorders | 2 |
| Schizophrenia | 6 |
| Specific personality disorders | 2 |
| Other anxiety disorders | 1 |
| No confirmed diagnosis at time of referral | 10 |

**Total here adds up to 69 as some patients had more than one primary diagnosis open during referral*